

Crossover:

Butterworth high pass filter.

Crossover point: 40Hz

Slope: 18dB

Butterworth low pass filter.

Crossover point: 19kHz

Slope: 24dB

Parametric EQ:

No.	Frequenc y	Q	Gain
1	137 Hz	4.3	-5dB
2	355 Hz	3	-3 dB
3	568 Hz	4.3	-3 dB
4	1180 Hz	3	-1.5 dB

High shelf filter:

No.	Frequenc y	Q	Gain
1	6500 kHz	0.5	7 dB

Low shelf filter:

NA

Crossover:

Butterworth high pass filter.

Crossover point: 40Hz

Slope: 18dB

Butterworth low pass filter.

Crossover point: 19kHz

Slope: 24dB

Parametric EQ:

No.	Frequenc y	Q	Gain
1	144 Hz	3.5	-6dB
2	355 Hz	3	-4 dB
3	568 Hz	4.3	-3 dB
4	1180 Hz	3	-1.5 dB

High shelf filter:

No.	Frequenc y	Q	Gain
1	6500 kHz	0.5	7 dB

Low shelf filter:

NA

NA

RFS12**Crossover:**

Butterworth high pass filter.

Crossover point: 30Hz

Slope: 18dB

Butterworth low pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

NA

High shelf filter:

NA

Low shelf filter:

NA

Crossover:

Butterworth high pass filter.

Crossover point: 40Hz

Slope: 18dB

Butterworth low pass filter.

Crossover point: 19kHz

Slope: 24dB

DSP output:

RF 55 output: 0 dB

Parametric EQ:

No.	Frequency	Q	Gain
1	144 Hz	3.5	-6dB
2	355 Hz	3	-4 dB
3	568 Hz	4.3	-3 dB
4	1180 Hz	3	-1.5 dB

High shelf filter:

No.	Frequency	Q	Gain
1	6500 kHz	0.5	7 dB

Low shelf filter:

NA

NA

RFS12**DSP output:**

RFS 12 output: +3dB

Crossover:

Butterworth high pass filter.

Crossover point: 30Hz

Slope: 18dB

Butterworth low pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

NA

High shelf filter:

NA

Low shelf filter:

NA